

## CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Cancelled)
2. (Cancelled)
3. (Currently Amended) An isolated polypeptide encoded by an isolated nucleic acid molecule selected from the group consisting of:
  - (a) the DNA sequence of SEQ ID NO:3;
  - (b) an isolated nucleic acid molecule encoding an amino acid sequence comprising the sequence of SEQ ID NO:4; or
  - (c) ~~an isolated nucleic acid molecule that hybridizes to either strand of a denatured, double stranded DNA comprising the nucleic acid sequence of (a) or (b) under conditions of moderate stringency in 50% formamide and 6XSSC, at 42°C with washing conditions of 60°C, 0.5XSSC, 0.1% SDS;~~
  - (d) ~~an isolated nucleic acid molecule derived by in vitro mutagenesis from SEQ ID NO:3; or~~
  - (e) an isolated nucleic acid molecule degenerate from SEQ ID NO:3 as a result of the genetic code.
4. – 8. (Cancelled)
9. (Previously Presented) The polypeptide of claim 3 in a composition comprising a pharmaceutically acceptable carrier selected from the group consisting of water, oils, alcohols, salts, fatty acids, saccharides, polysaccharides and combinations thereof.
10. - 38. (Cancelled)

39. (Currently Amended) A method for treating a patient comprising administering to the patient a therapeutically effective amount of a composition comprising ~~at least an active portion~~ of the polypeptide of SEQ ID NO:4.
40. (Original) The method of claim 39 wherein the polypeptide has anti-neoplastic activity.
41. (Original) The method of claim 40 wherein the anti-neoplastic activity is a modulation of chemokine expression.
42. (Withdrawn) The method of claim 40 wherein the anti-neoplastic activity is a modulation of cytokine expression.
43. (Original) The method of claim 39 wherein the therapeutically effective amount of the composition is administered locally to a tumor site, systemically, or parenterally.
44. – 62. (Cancelled)
63. (Previously Presented) The polypeptide of claim 3 wherein the polypeptide has an anti-neoplastic activity.